


New Products:

- FlightStar[®] Flight-type
- DynaStar[®] High Temperature Door-type
- DynaStar[®] VER Ventless High Temperature Door-type with Energy Recovery
- NXP-HTD High Temperature Door-type
- Conserver[®] XL-E-FL Chemical Sanitizing Door-type
- DishStar[®] ADA-SEER High Temperature Undercounter

Also featuring:

- DishStar[®] HT-E
- DishStar[®] HT
- DishStar[®] HT-E-SEER
- Delta[®] 115
- Delta[®] 5-E
- Delta[®] HT-E-SEER-S
- Delta[®] HT-E-SEER-T
- Conserver[®] XL-E-FL
- Conserver[®] XL-HH
- TempStar[®]
- TempStar[®] VER
- TempStar[®] HH-E VER
- RackStar[®] 44-HH

- FlightStar® Flight-type
- DynaStar® High Temperature Door-type
- DynaStar® VER Ventless High Temperature Door-type with Energy Recovery
- NXP-HTD High Temperature Door-type
- Conserver® XL-E-FL Chemical Sanitizing Door-type
- DishStar® ADA-SEER High Temperature Undercounter



Flight-type Dishwasher



FlightStar® upgrades our LoH₂O® flight-type dishwasher design with improved features from top to bottom while maintaining our high capacity output of over 14,000 dishes per hour while using only 50 gallons of rinse water per hour

Performance/Operation

- Adjustable water usage for final rinse
 - Econo or Turbo mode
- Digital LED control interface
 - Easy to read temperature display for each section
 - Service diagnostics
 - Delime mode
- Swing stop pauses the conveyor belt to allow for unloading
- Pulsed drive reverse prevents belt jamming

Access/Maintenance

- Insulated, hinged cabinet-style doors provide full access inside the machine
- Smaller scrap screens that are easy to remove and install (fits inside opening of 32 gallon receptacle)
- Improved venting duct with sloped to rear drain point
- Non-clogging wash arm nozzles reduce maintenance labor
- Delime mode

Serviceability

- Service diagnostics communicated through the control interface
- Tank heaters moved from bottom mount to front mount for easier access
- Wash pump motors accessible from the front of the machine
- Reduced footprint with improved electrical layout

Insulated, hinged cabinet-style doors



Digital LED control interface



Smaller scrap screens
are easy to handle



Swing Stop pauses
conveyor belt

