

NRA Show 2022

Information Deck

Booth #6212 May 21-24, 2022



Show Information



Show Hours Central Time Zone

Saturday, May 21 Sunday, May 22 Monday, May 23 Tuesday, May 24

9:30am – 5:00pm

9:30am – 5:00pm

9:30am - 5:00pm

9:30am – 3:00pm



SCHEDULE YOUR BOOTH TOURS & CUSTOMER VISITS!

Jackson Sales & Marketing Team





Steve Willoughby Vice President of Sales & Marketing

steve.willoughby@jacksonwws.com
Mobile: 606-595-3760



Jim Krohn Regional Sales Manager

jim.krohn@jacksonwws.com Office/Fax: 317-706-9691 Mobile: 317-385-0765



Paula Donohoo Regional Sales Manager

paula.donohoo@jacksonwws.com Mobile: 606-280-6602



Jennifer Healy Regional Sales Manager

jennifer.healy@jacksonwws.com Office: 215-295-5308 Mobile: 215-518-9767



Carroll Bender ector of Consultant Services

carroll.bender@jacksonwws.com Mobile: 606-260-5335



Karen Penney Sales & Marketing Administrator

karen.penney@jacksonwws.com Office: 606-523-4279 Mobile: 606-304-0065



Chris Coleman Field Sales Engineer

chris.coleman@jacksonwws.com Mobile: 606-261-5482
















North Hall, Level 3, Booth #6212






North Hall, Level 3, Booth #6212

	PUPETPHY III INF	0124 FOR DOLE FOR DOLE		
	** *			
	C s Coste	Sunday App		
Amerikan Food Fair	Emmi Roth	Folles	Levu	HITE I MARTIN
	The second secon	Aunitics	PORLAND	
	C C S S S S C Deliverent	CAC Chine ⁴ Bank Revol UBA		in the second se
	TadisCient o TadisCient o	Olympia Foods Industries	USA Corporation	
		Fortesse Red Bull Tebleware North Rodo Solutions Américe	STERNO	6600
			[] - [] [] [] [] [] [] [] [] [National Restaurant
		Boisdeillapp. No. R State and Annual Sta	Steelite	Association
		When I 6228 622	Jackson	Eliz de la
	1	Shift4	Popmenu Warewashing Systems 6212	
Sque			Restants Anchor Femola Hocking	
			TriMark USA J& J Sneck	
Tech Pavlion		eetOS POS Inc.	Visconsin Corp.	in the second se
Horth Hol - 5572	a pereletet			aparta last
	The second se			and the second s
	OVERHEAD BODDS	0//1-E40 1008F		The second second

Jackson Area of Booth


Jackson



Hoshizaki Area of Booth

Jackson[®] Warewashing Systems

North Hall, Level 3, Booth #6212



PLAN VIEW



Lancer Area of Booth

Jackson

Warewashing Systems



PLAN VIEW

AISLE 4

New Booth Design - Aisle View

Jackson



Featured Products

Jackson



Jackson will feature16 products at NRA, including 4 new products



New Products

- Conserver[®] XL-E-FL front loader low temp chemical sanitizing dishwasher
- DynaStar[®] HH-E VER ventless tall chamber high temperature sanitizing dishwasher with energy recovery
- DishStar[®] ADA-SEER ADA-compliant high temperature sanitizing undercounter with steam elimination and energy recovery
- NXP-HTD high temperature sanitizing dishwasher

Also Featuring:

Jackson

- DishStar HT
- DishStar HT-E
- Delta 115
- Delta 5-E
- Delta HT-E-SEER-S
- Delta HT-E-SEER-T
- Conserver XL-E
- Conserver XL-HH
- TempStar
- DynaStar
- DynaStar VER
- RackStar 44T



 DynaStar[®] HH-E VER ventless tall chamber high temperature sanitizing dishwasher with energy recovery DishStar[®] ADA-SEER ADA-compliant high temperature sanitizing undercounter with steam elimination and energy recovery NXP-HTD Conserve high temperature sanitizing dishwasher Conserver[®] XL-E-FL front loader low temp chemical sanitizing dishwasher

DynaStar[®] HH-E VER

- Ventless with energy recovery
- Tall chamber 27" vertical chamber clearance
- Recirculating wash design with fresh-water rinse
- Low water consumption of 0.72 gallons of water per rack
- Adjustable rinse Econo/Turbo modes
- Pumped rinse
- Three selectable timed cycles
- Automatic tank fill
- Digital LED temperature/operator display with onboard diagnostics
- Built-in booster heater with Sani-Sure[™] final rinse system





AS BOTH A DISHWASHER A POTWASHER ON ALL

CYCLE SETTINGS



208v/60hz/1ph 208v/60hz/3ph

230v/60hz/1ph

230v/60hz/3ph 460v/60hz/3ph



Jackson

DishStar® ADA-SEER

- ADA-compliant, fits easily under a 34" ADA countertop
- Recirculating wash design with fresh-water rinse
- Soft Start protects glassware from chipping and breaking
- Low water consumption of 0.60 gallons of water per rack
- Steam Elimination
- Energy Recovery System collects the hot water vapor inside the machine and uses it to preheat the incoming rinse water
- Operates on a single cold water connection
- Energy Saver mode

208v/60hz/1ph

230v/60hz/1ph







NXP-HTD

- Recirculating wash design with fresh water rinse
- Single timed cycle
- Delime cycle
- Automatic fill/automatic start
- Top mounted controls with digital LED temperature display
- Built-in 70 °F rise electric booster heater with Sani-Sure[™] final rinse system to ensure proper rinse temperature
- Interchangeable stainless steel upper and lower wash and rinse arms
- The "Good" of the Good, Better, Best lineup







208v/60hz/1ph 208v/60hz/3ph 230v/60hz/1ph 230v/60hz/3ph

Conserver® XL-E-FL

- Front loading door-type is great for applications with limited space
- Fill and dump design
- Electronic timer
- 39 racks per hour
- Internal sump design
- Built-in chemical pumps and priming switches
- Interchangeable upper and lower wash/rinse arms
- Low chemical indicator lights
- Delime switch for easy removal of hard water deposits
- 17 ¼" vertical inside door clearance



Jackson







See you soon!

